



NOTES:

1. SHAFT DETAIL DRAWING 5F-531
2. COMPRESSOR MAY BE OPERATED IN EITHER DIRECTION OF ROTATION. STANDARD ROTATION IS COUNTER CLOCKWISE LOOKING FROM THE PUMP END; FOR REVERSE ROTATION ROTATE OIL PUMP 180°.
3. NET WEIGHT 175LBS. INCLUDES OIL BUT NOT REFRIGERANT CHARGE.

FLYWHEEL	YES	NO
WATER COOLED HEADS	☐	☐




DR.	P.S.G.	TR	P.S.G.	DATE	1-20-72
CHK.	C.E.D.	APPD	C.E.D.	SUPERSEDES ISSUE OF	5-28-62

5F20 COMPRESSOR ASSEMBLY

5F-020

REV.
B





THIS DRAWING IS THE PERSONAL PROPERTY OF
CARRIER AIR CONDITIONING COMPANY
DIVISION OF CARRIER CORPORATION, SYRACUSE, N.Y.
ALL USE IS FORBIDDEN EXCEPT ON ITS WRITTEN CONSENT

5F

NOTES:

1. SHAFT DETAIL DRAWING 5F-531
2. COMPRESSOR MAY BE OPERATED IN EITHER DIRECTION OF ROTATION. STANDARD ROTATION IS COUNTER CLOCKWISE LOOKING FROM THE PUMP END; FOR REVERSE ROTATION ROTATE OIL PUMP 180°.
3. NET WEIGHT 215LBS. INCLUDES OIL BUT NOT REFRIGERANT CHARGE.

FLYWHEEL	YES	NO
WATER COOLED HEADS	☐	☐
	☐	☐




DR. P.S.G.	TR. G.E.C.	DATE 5-28-62
CHK. C.E.D.	APPD. C.E.D.	SUPERSEDES ISSUE OF 6-9-61

5F30 COMPRESSOR ASSEMBLY

5F-030

REV.
A.






THIS DRAWING IS THE PERSONAL PROPERTY OF
CARRIER AIR CONDITIONING COMPANY
DIVISION OF CARRIER CORPORATION - SYRACUSE, N.Y.
ALL USE IS FORBIDDEN EXCEPT ON ITS WRITTEN CONSENT

5F

NOTES:

1. SHAFT DETAIL DRAWING 5F-531
2. COMPRESSOR MAY BE OPERATED IN EITHER DIRECTION OF ROTATION. STANDARD ROTATION IS COUNTER CLOCKWISE LOOKING FROM THE PUMP END; FOR REVERSE ROTATION ROTATE OIL PUMP 180°.
3. NET WEIGHT 355LBS. INCLUDES OIL BUT NOT REFRIGERANT CHARGE.

FLYWHEEL	YES	NO
WATER COOLED HEADS	☐	☐
CRANKCASE COVER PLATES FOR COMPRESSOR INTERCONNECTION	☐	☐




DR. S. M. S.	TR. G. R. C.	DATE 8-30-76
CHK. C. E. D.	APPD. C. E. D.	SUPERSEDES ISSUE OF 5-10-61

5F40 COMPRESSOR ASSEMBLY

5F-040

REV.
A





THIS DRAWING IS THE PERSONAL PROPERTY OF
CARRIER AIR CONDITIONING COMPANY
DIVISION OF CARRIER CORPORATION, SYRACUSE, N.Y.
ALL USE IS FORBIDDEN EXCEPT ON ITS WRITTEN CONSENT

5F

NOTES:

1. SHAFT DETAIL DRAWING 5F-531
2. COMPRESSOR MAY BE OPERATED IN EITHER DIRECTION OF ROTATION. STANDARD ROTATION IS COUNTER CLOCKWISE LOOKING FROM THE PUMP END; FOR REVERSE ROTATION ROTATE OIL PUMP 180°.
3. NET WEIGHT 400LBS. INCLUDES OIL BUT NOT REFRIGERANT CHARGE.

FLYWHEEL	YES	NO
WATER COOLED HEADS	☐	☐
CRANKCASE COVER PLATES FOR COMPRESSOR INTERCONNECTION	☐	☐



5F60-COMPRESSOR ASSEMBLY

5F-060

DR. SMS	TR G.R.C.	DATE 7-20-76
CHK. C.E.D.	APPD C.E.D.	SUPERSEDES ISSUE OF 12-21-61

REV.
B



THIS DRAWING IS THE PERSONAL PROPERTY OF
CARRIER AIR CONDITIONING COMPANY
DIVISION OF CARRIER CORPORATION, SYRACUSE, N.Y.
ALL USE IS FORBIDDEN EXCEPT ON ITS WRITTEN CONSENT

5F